

CATALOG ALUMINIUM DOORS





PERFECTIONIN EVERY DETAIL

With entrance doors, the art of opening takes on a new meaning. Regardless of whether you dream of a modern, minimalist design or classic elegance, VIDOK aluminum doors will perfectly meet your expectations. By choosing our products, you are choosing not only style, but also an investment in durability and functionality. Discover how synergy design and solidity can transform your interior.

Our aluminum doors are not just a product, they are a decoration that highlights the character of your home. Give your entrance a new dimension with VIDOK aluminum doors - because you deserve perfection in every detail.

THE STRUCTURE ON WHICH YOU CAN RELY

Dedicated to the most modern architectural solutions, where minimalism and purity of form are combined with the best utility parameters. Construction based on multi-chamber, thermally insulated aluminum profiles, enriched with special fillings flush with the surface of the frame.

Stable, with above-average durability, resistant to burglary and changing weather conditions. A wide range of finishing options will take you to a space full of beauty and comfort from the very beginning.



PANEL DOOR

- Door frame based on a thermally insulated system sections with a construction depth of 70 to 95 mm.
- Door panel filled with hardened polyurethane foam PUR or XPS, with high thermal insulation. Available in one-sided or double-sided aligned version, in many designs.
- 3 Decorative millings or optional stainless steel application aligned on one side or both sides.
- Door hinges in a style that takes into account the latest trends. Available with roller or concealed hinges.
- (5) Low aluminum threshold with thermal insert and seal.
- 6 Automatic lock access control via numeric keypad, proximity reader, fingerprint reader, remote control or smart connect.
- (7) Class A or C door insert, optionally in a one key system.
- 8 Multipoint locking system. Available in automatic version.



INSERT PANEL DOOR

- 2A Door panel filled with hardened foam PUR or XPS polyurethane, with high thermal insulation.
- Decorative millings or optional stainless steel application glued or aligned.
- (4_A) Door hinges available in roller or concealed versions.





SYSTEMS

MB-79N ALUPROF

Thermal insulation Ud from 0,90 W/m²K

Air permeability

Water tightness

Wind load resistance

Installation depth

Class 3

Class E900

Class C5/B5

70 mm

MB-104 ALUPROF

Thermal insulation Ud from 0,60 W/m²K

Air permeability

Water tightness

Wind load resistance

Installation depth

Class 3

Class E900

Class C4/B4

95 mm

MB-86N ALUPROF

Thermal insulation Ud from 0,80 W/m²K

Air permeability

Water tightness

Wind load resistance

Installation depth

Class 3

Class E900

Class C5/B5

77 mm

AS 75 ALURON

Thermal insulation

Air permeability

Water tightness

Wind load resistance
Installation depth

Ud from 0,85 W/m²K

Class 4

Class E1200

Class C2

75 mm

SECTIONS OF PANEL DOORS





The panel is glued to both sides of the door leaf.

ON BOTH SIDES





The panel is glued to the outside of the door leaf.






INSERT PANEL

The profile is visible from both sides of the door leaf.




STANDARD SET OF PANEL DOORS





STANDARD SET OF INSERT PANEL DOORS





PANEL MODELS

STANDARD

VA-D 100

GLAZING: **STANDARD** DECORATION: **NONE**



VA-D 101

GLAZING: STANDARD
DECORATION: STAINLESS STEEL



VA-D 103

GLAZING: STANDARD
DECORATION: STAINLESS STEEL
ALIGNED



VA-D 102

GLAZING: STANDARD
DECORATION: STAINLESS STEEL
ALIGNED



VA-D 104

GLAZING: STANDARD
DECORATION: STAINLESS STEEL
ALIGNED





PANEL MODELS

STANDARD

VA-D 105

GLAZING: **STANDARD (ACC. TO PATTERN)** DECORATION: **NONE**



GLAZING: **NONE**DECORATION: **DECORATIVE MILLINGS**



GLAZING: **STANDARD (ACC. TO PATTERN)** DECORATION: **DECORATIVE MILLINGS**





VA-D 108

GLAZING: NONE
DECORATION: DECORATIVE MILLINGS





GLAZING: NONE





PANEL MODELS

STANDARD

VA-D 110

GLAZING: NONE DECORATION: NONE FLUSH-MOUNTED PULL INTEGRATED WITH THE PANEL



VA-D 112

GLAZING: STANDARD DECORATION: RETRO STYLE



VA-D 111

GLAZING: NONE DECORATION: **DECORATIVE MILLINGS** FLUSH-MOUNTED PULL INTEGRATED WITH THE PANEL



GLAZING: NONE DECORATION: RETRO STYLE



VA-D 109

GLAZING: NONE DECORATION: STAINLESS STEEL ALIGNED





PREMIUM



GLAZING: NONE
DECORATION: CONCRETE STYLE
FLUSH-MOUNTED PULL
INTEGRATED WITH THE PANEL

VIDOK.COM

WINDOWS AND DOORS



VA-D 118
GLAZING: STANDARD
DECORATION: STAINLESS STEEL
ALIGNED OR STICKED



VA-D 116*
GLAZING: NONE
DECORATION: IRON STYLE



GLAZING: NONE
DECORATION: VERTICAL MILLINGS



VA-D 117

GLAZING: NONE

DECORATION: VERTICAL

3D LAMELLAS




GLAZING: STANDARD
DECORATION: RETRO STYLE





COLOURS











Scan the QR code and check our full range of colours

D-05-GOLDEN OAK


^{*}Additional colours are outside the standard price list; please contact us for details.



ACCESSORIES

PULLS

A designer door element that perfectly matches modern construction. It comes in various lengths and shapes. In a double-sided version or in combination with a handle inside. As an additional option, it can be equipped with a fingerprint reader.



PULL SS

DIA. **32 MM**

ANGLE BRACE: 45° OR 90° MATERIAL: STAINLESS STEEL /

STAINLESS STEEL RAL 9005

LENGTH: 500 / 580 / 600 / 650 / 800 / 1000 / 1200 / 1400 / 1600 / 1800



PULL SE

DIA. **32 MM**

MATERIAL: STAINLESS STEEL LENGTH: 396 / 696 / 1296



PULL KW

PROFILE: RECTANGULAR 35x35 MM

ANGLE BRACE: 45° OR 90°

MATERIAL: STAINLESS STEEL /
STAINLESS STEEL RAL 9005

LENGTH: 500 / 650 / 800 / 1000 / 1200 / 1400 / 1600 / 1800



PULL PR45

PROFILE: RECTANGULAR 20x40 MM

MATERIAL: STAINLESS STEEL /
STAINLESS STEEL RAL 9005

LENGTH: 500 / 650 / 800 / 1000 / 1200 / 1400 / 1600 / 1800



PULL WB

DIA. **32 MM**

MATERIAL: STAINLESS STEEL

LENGTH: 519 / 802



PULL CW

DIA. **32 MM**

MATERIAL: **STAINLESS STEEL** LENGTH: **500 / 650 / 800 / 1400 / 1800**



PROFILE: RECTANGULAR

MATERIAL: STAINLESS STEEL /
STAINLESS STEEL RAL 9005

LENGTH: FULL HEIGHT



FLUSH FITTED PULLS K1

MATERIAL: STAINLESS STEEL 304 SIZE: 550X155 MM / 200X200 MM



ACCESSORIES

HANDLE/PULL



LONG PLATE HANDLE MEDOS DUBLIN



LONG PLATE HANDLE/PULL MEDOS DUBLIN



SHORT PLATE HANDLE MEDOS DUBLIN




SHORT PLATE HANDLE/PULL MEDOS DUBLIN



LONG PLATE HANDLE MEDOS BRUSSELS



LONG PLATE
HANDLE/PULL
MEDOS BRUSSELS





LONG PLATE HANDLE **WALA**



LONG PLATE HANDLE/PULL **WALA**

COLOUR FINISH WALA

IN THE DOOR COLOUR EXCLUDING WOODLIKE FINISHES




ACCESSORIES

ALU HOME PREMIUM PLUS

FULLY MOTORISED MULTIPOINT LOCKING SYSTEM 881 TYPE 11 2 HOOK BOLTS / 4 ROUND BOLTS + LATCH AND DEADBOLT

ALU HOME PREMIUM ACCESS CONTROL SYSTEM

AUTOMATIC MULTIPOINT LOCKING SYSTEM WITH MOTORISED UNLOCKING 834 TYPE 4 (2 ROUND BOLTS)



ALU HOME PREMIUM ACCESS CONTROL SYSTEM

AUTOMATIC MULTIPOINT LOCKING SYSTEM WITH MOTORISED UNLOCKING 834 TYPE 4 (2 ROUND BOLTS)



ALU HOME PREMIUM ACCESS CONTROL SYSTEM

AUTOMATIC MULTIPOINT LOCKING SYSTEM WITH MOTORISED UNLOCKING 834 TYPE 4 (2 ROUND BOLTS)






HIDDEN HINGES



CLASS C DOOR INSERT

MATT NICKEL-PLATED





Remote control version Fingerprint reader version Proximity reader version

0

Mobile phone version



FANLIGHT AND SIDELIGHT GLAZING

Door models can be enriched with fanlights and sidelights. They subtly illuminate the interior and increase the attractiveness of the building, adding character to it.

Product is outside the standard price list; please contact us for details.

A wide range of solutions provides almost unlimited possibilities for door design, which allows each structure to be adapted to the investor's individual expectations.















GLAZING

Benefit of glass unit is not only to let daylight into the building, but above all to protect it rooms against heat loss, sunlight, noise and burglary. Glass also has a decorative function. The Ornament subtly disperses the light, giving a sense of privacy and comfort.

STANDARD



CHINCHILLA



FLOAT



MASTER - CARRE



MASTER - LIGNE



MASTER - POINT



ANTISOL GREY



ANTISOL BROWN



STOPSOL GREY



STOPSOL BROWN



MIRROR-EFFECT



GLAZING: VSG 33.1 TF/TGI/F4MM, F/TGI/F4MM

- *Premium glazing is outside the standard price list; please contact us for details.
- *Fanlight and sidelight glazing is outside the standard price list; please contact us for details.

Enter the world of quality **V**



MANUFACTURER OF WINDOWS AND DOORS MADE OF TIMBER, PVC AND ALUMINUM

VIDOK Sp. z o.o. Rudna Mała 75, 36-054 Mrowla, Poland sales@vidok.com | REGON: 690379060 | NIP: 813-10-86-710

